











Maths Progression Grid 2023-2024

	EYFS					
ELG- Maths	Number	Children at the expected level of development will: • Have a deep understanding of number to 10, including the composition of each number. Subitise (recognise quantities without counting) up to 5 • Automatically recall (without reference to rhymes, counting or other aids) number bonds up to 5 (including subtraction facts) and some number bonds to 10, including double facts				
	Numerical Patterns	 Children at the expected level of development will: Verbally count beyond 20, recognising the pattern of the counting system Compare quantities up to 10 in different contexts, recognising when one quantity is greater than, less than or the same as the other quantity Explore and represent patterns within numbers up to 10, including evens and odds, double facts and how quantities can be distributed equally. 				

Strand		Number and Place Value				
Year Group	Year 1	Year 2	Year 3	Year 4	Year 5	Year 6
National Curriculum 2014 Objectives	count to and across 100, forwards and backwards, beginning with 0 or 1, or from any given number count, read and write numbers to 100 in numerals; count in multiples of twos, fives and tens given a number, identify one more and one less identify and represent numbers using objects and pictorial representations	 count in steps of 2, 3, and 5 from 0, and in tens from any number, forward and backward recognise the place value of each digit in a two-digit number (tens, ones) identify, represent and estimate numbers using different representations, including the number line compare and order numbers from 0 up to 100; use and = signs 	count from 0 in multiples of 4, 8, 50 and 100; find 10 or 100 more or less than a given number recognise the place value of each digit in a three-digit number (hundreds, tens, ones) compare and order numbers up to 1000 identify, represent and estimate numbers using different representations read and write numbers up to 1000 in numerals and in words solve number problems and	count in multiples of 6, 7, 9, 25 and 1000 find 1000 more or less than a given number count backwards through zero to include negative numbers recognise the place value of each digit in a four-digit number (thousands, hundreds, tens, and ones) order and compare numbers beyond 1000 identify, represent and estimate numbers using different representations round any number to the	read, write, order and compare numbers to at least 1 000 000 and determine the value of each digit count forwards or backwards in steps of powers of 10 for any given number up to 1 000 000 interpret negative numbers in context, count forwards and backwards with positive and negative whole numbers, including through zero round any number up to 1 000 000 to the nearest 10, 100, 1000, 10 000 and 100	read, write, order and compare numbers up to 10 000 000 and determine the value of each digit round any whole number to a required degree of accuracy use negative numbers in context, and calculate intervals across zero solve number and practical problems that involve all of the above.











						PRIMARY SCHOOL
	including the number line, and use the language of: equal to, more than, less than (fewer), most, least read and write numbers from 1 to 20 in numerals and words.	read and write numbers to at least 100 in numerals and in words use place value and number facts to solve problems	practical problems involving these ideas	nearest 10, 100 or 1000 solve number and practical problems that involve all of the above and with increasingly large positive numbers read Roman numerals to 100 (I to C) and know that over time, the numeral system changed to include the concept of zero and place value.	solve number problems and practical problems that involve all of the above read Roman numerals to 1000 (M) and recognise years written in Roman numerals	
Coverage	Counting to 10 Counting objects to 10 Writing to 10 Counting to zero Comparing numbers of objects Ordering numbers Counting to 20 Writing to 20 Comparing numbers Ordering numbers Ordering numbers Writing to 20 Comparing numbers Writing to 40 Writing numbers Counting to 40 Writing numbers to 40 Counting in Tens and Ones Comparing numbers Finding how much more Making number patterns Counting to 100 Finding Tens and Ones Comparing numbers Making numbers Making numbers	Counting to 100 Place value Comparing numbers Number bonds Number patterns	Counting in hundreds Counting in hundreds, tens and ones Place value Comparing and ordering numbers Counting in fifties Number patterns Counting in fours and eights	Counting in hundreds and twenty-fives Counting in thousands Counting in thousands, hundreds, tens and ones Using place value Comparing and ordering numbers Making number patterns Counting in sixes, sevens and nines Rounding numbers Rounding numbers to estimate Writing roman numerals for 1 to 20 Writing roman numerals to 100	Reading and writing numbers to 100,000 Reading and writing numbers to 1,000,000 Comparing numbers to 1,000,000 Making number patterns Rounding numbers Writing roman numerals to 1000 Writing years in roman numerals	Reading and writing numbers to 10 million Comparing numbers to 10 million Comparing and ordering numbers to 10 million Rounding numbers Adding and subtracting negative numbers Using negative numbers
Knowledge	 Equal means the same in amount, size or number. More than means greater in amount or size. Less than means smaller in amount or size. Most means the biggest number or amount of 	 Place value refers to the amount a digit is worth due to its position in a number. Estimate means to have a sensible guess. Estimating is calculating the approximate amount, size or value of something. 	 A digit is any number from 0-9. In place value, each place is 10 times the value of the place to its right. 	 A positive number is greater than zero. A negative number is less than zero. For two or more digits, if the number to the right of the place value number you are rounding is equal to or greater than 5, round up. 	 Temperatures can be measured in Celcius. 0°C is the freezing point of water and 100°C is the boiling point of water. For two or more digits, if the number to the right of the place value number you are rounding is equal to or 	 In place value, each place is 10 times the value of the place to its right. For two or more digits, if the number to the right of the place value number you are rounding is equal to or greater than 5, round up. If the number to the right of





something. • Least means the smallest	Less than (<) shows that the value to the left of it is		If the number to the right of the place value number you	greater than 5, round up. • If the number to the right of	the place value number you are rounding is less than 5,
number or amount of	lower than the value to		are rounding is less than 5, round down.	the place value number you	round down.
something.	the right of it.Greater than (>) shows		Estimate means to quickly	are rounding is less than 5, round down.	Positive integers are whole numbers greater than zero.
	that the value to the left		find, with some thought of	In Roman numerals I=1, V=5,	Negative integers are whole
	of it is higher than the		the calculation, an	X=10, L=50, C=100, D=500	numbers less than zero.
	value to the right of it.		approximate value close to	and M=1000. All numbers	
	Equals (=) shows that the		the right value.	between 1 and 100 can be	
	number on each side of it has or should have the		 Inverse operations are opposites that reverse the 	written using a combination of these.	
	same value.		effect of the other	If a lower value numeral is	
			operation.	placed after a higher value	
			• In Roman numerals I=1, V=5,	numeral, it indicates they	
			X=10, L=50 and C=100. All	should be added together.	
			numbers between 1 and 100 can be written using a	If a lower value is placed before a higher value	
			combination of these.	numeral, it should be	
			If a lower value numeral is	subtracted from the higher	
			placed after a higher value	value.	
			numeral, it indicates they should be added together.	Years are sometimes written in Roman numerals, for	
			If a lower value is placed	example 2020 is MMXX.	
			before a higher value	Champie 2020 is minum	
			numeral, it should be		
			subtracted from the higher		
			value.		
		Addition a	nd Subtraction		
Year 1	Year 2	Year 3	Year 4	Year 5	Year 6









National Curriculum 2014 Objectives	 read, write and interpret mathematical statements involving addition (+), subtraction (-) and equals (=) signs represent and use number bonds and related subtraction facts within 20 add and subtract one-digit and two-digit numbers to 20, including zero solve one-step problems that involve addition and subtraction, using concrete objects and pictorial representations, and missing number problems such as 7 = -9. 	solve problems with addition and subtraction: using concrete objects and pictorial representations, including those involving numbers, quantities and measures applying their increasing knowledge of mental and written methods recall and use addition and subtraction facts to 20 fluently, and derive and use related facts up to 100 add and subtract numbers using concrete objects, pictorial representations, and mentally, including: a two-digit number and ones a two-digit numbers two two-digit numbers adding three one-digit numbers show that addition of two numbers can be done in any order (commutative) and subtraction of one number from another cannot recognise and use the inverse relationship between addition and subtraction and use this to check calculations and solve missing number problems.	 add and subtract numbers mentally, including: a three-digit number and ones a three-digit number and tens a three-digit number and hundreds add and subtract numbers with up to three digits, using formal written methods of columnar addition and subtraction estimate the answer to a calculation and use inverse operations to check answers solve problems, including missing number problems, using number facts, place value, and more complex addition and subtraction 	 add and subtract numbers with up to 4 digits using the formal written methods of columnar addition and subtraction where appropriate estimate and use inverse operations to check answers to a calculation solve addition and subtraction two-step problems in contexts, deciding which operations and methods to use and why. 	add and subtract whole numbers with more than 4 digits, including using formal written methods (columnar addition and subtraction) add and subtract numbers mentally with increasingly large numbers use rounding to check answers to calculations and determine, in the context of a problem, levels of accuracy solve addition and subtraction multi-step problems in contexts, deciding which operations and methods to use and why.	
Coverage	making number bondsmaking number storiesadd by using number bonds	simple adding adding with renaming simple subtraction subtracting with renaming	addition and subtraction factssimple additionadding with renaming	finding sumsadding without renamingadding with renamingadding using mental	Counting on to add Counting backwards to subtract Adding within 1,000,000	





						PRIMARY	SCHO
	add by counting on	addition of three numbers	simple subtracting	strategies	Adding and subtracting		
	completing number	solving word problems	simple subtraction	finding differences	within 1,000,000		
	sentences		subtracting with renaming	 subtracting without renaming 	• Adding within 1,000,000		
	 making addition stories 		using models	 subtracting with renaming 	Subtracting within 1,000,000		
	solving picture problems			subtracting using mental	Adding and subtracting		
	 subtract by crossing out 			strategies	within 1,000,000		
	subtract by using number			solving word problems	• Adding within 1,000,000		
	bonds				Subtracting within 1,000,000		
	subtract by counting back						
	making subtraction stories						
	solving picture problems						
	addition and subtraction						
	add by counting on						
	add by making 10						
	add by adding ones						
	subtract by counting back						
	subtract by subtracting						
	ones						
	• subtract from 10						
	addition and subtraction						
	facts						
	solving word problems						
Knowledge	Addition (+) is putting two	Numbers can be added in	Estimate means to quickly	Estimate means to quickly	Estimate means to quickly	•	
Miowicage	or more numbers or	any order and the answer	find, with some thought of	find, with some thought of	find, with some thought of		
	objects together to give a	will be the same.	the calculation, an	the calculation, an	the calculation, an		
	larger number (the total).	Numbers cannot be	approximate value close to	approximate value close to	approximate value close to		
	Subtraction (-) is removing	subtracted in any order to	the right value.	the right value.	the right value.		
	or taking away numbers	give the same answer.	Inverse operations are	Inverse operations are			
	or objects. What ios left is		opposites that reverse the	opposites that reverse the			
	the difference between		effect of the other	effect of the other			
	the two numbers.		operation.	operation.			
	The equals sign (=) shows		Addition and subtraction are				
	that things on both sides		inverse operations.				
	of it have the same value.						
	A number bond is a pair of						
	numbers that add up to a						
	given number.						
	• 0, 1, 2, 3, 4, 5, 6, 7, 8 and 9						
	are one-digit numbers						
	One-digit numbers are						
	made up of one digit or						
	number.						
	Two-digit numbers have						
	two digits, such as 12 or						













						PRIMARY SCHOOL
	20.					
			Multiplicat	ion and Division		
	Year 1	Year 2	Year 3	Year 4	Year 5	Year 6
National Curriculum 2014 Objectives	solve one-step problems involving multiplication and division, by calculating the answer using concrete objects, pictorial representations and arrays with the support of the teacher.	 recall and use multiplication and division facts for the 2, 5 and 10 multiplication tables, including recognising odd and even numbers calculate mathematical statements for multiplication and division within the multiplication tables and write them using the multiplication (x), division (÷) and equals (=) signs show that multiplication of two numbers can be done in any order (commutative) and division of one number by another cannot solve problems involving multiplication and division, using materials, arrays, repeated addition, mental methods, and multiplication and division facts, including problems in contexts 	recall and use multiplication and division facts for the 3, 4 and 8 multiplication tables write and calculate mathematical statements for multiplication and division using the multiplication tables that they know, including for two-digit numbers times one-digit numbers, using mental and progressing to formal written methods & solve problems, including missing number problems, involving multiplication and division, including positive integer scaling problems and correspondence problems in which n objects are connected to m objects.	 recall multiplication and division facts for multiplication tables up to 12 × 12 use place value, known and derived facts to multiply and divide mentally, including: multiplying by 0 and 1; dividing by 1; multiplying together three numbers recognise and use factor pairs and commutativity in mental calculations multiply two-digit and three-digit numbers by a one-digit number using formal written layout solve problems involving multiplying and adding, including using the distributive law to multiply two digit numbers by one digit, integer scaling problems and harder correspondence problems such as n objects are connected to m objects. 	identify multiples and factors, including finding all factor pairs of a number, and common factors of two numbers know and use the vocabulary of prime numbers, prime factors and composite (nonprime) numbers establish whether a number up to 100 is prime and recall prime numbers up to 19 multiply numbers up to 4 digits by a one- or two-digit number using a formal written method, including long multiplication for two-digit numbers multiply and divide numbers mentally drawing upon known facts divide numbers up to 4 digits by a one-digit number using the formal written method of short division and interpret remainders appropriately for the context multiply and divide whole numbers and those involving decimals by 10, 100 and 1000 Mathematics – key stages 1 and 2 33 Statutory requirements recognise and use square numbers and cube numbers, and the notation for squared (2) and cubed (3) solve problems involving	 multiply multi-digit numbers up to 4 digits by a two-digit whole number using the formal written method of long multiplication divide numbers up to 4 digits by a two-digit whole number using the formal written method of long division, and interpret remainders as whole number remainders, fractions, or by rounding, as appropriate for the context divide numbers up to 4 digits by a two-digit number using the formal written method of short division where appropriate, interpreting remainders according to the context perform mental calculations, including with mixed operations and large numbers identify common factors, common multiples and prime numbers use their knowledge of the order of operations to carry out calculations involving the four operations solve addition and subtraction multi-step problems in contexts, deciding which operations and methods to use and why Mathematics – key stages 1 and 2 40 Statutory requirements solve problems involving













					multiplication and division including using their knowledge of factors and multiples, squares and cubes solve problems involving addition, subtraction, multiplication and division and a combination of these, including understanding the meaning of the equals sign solve problems involving multiplication and division, including scaling by simple fractions and problems involving simple rates	addition, subtraction, multiplication and division Use estimation to check answers to calculations and determine, in the context of a problem, an appropriate degree of accuracy.
Coverage	making equal groups making equal rows making doubles solving word problems grouping equally sharing equally	multiplication as equal groups 2 times table 5 times table 10 times table Multiplying by 2, 5 and 10 Solving word problems Grouping Sharing Dividing by 2 Dividing by 5 Dividing by 10 Multiplication and division Solving word problems Odd and even numbers	Multiplying by 3 Multiplying by 4 Multiplying by 4 and 8 Multiplying by 8 Dividing by 3 Dividing by 4 Multiplying and dividing Dividing by 4 and 8 Solving word problems Solving problems Multiplying 2-digit numbers Multiplying with regrouping Dividing 2-digit numbers Dividing word problems Solving word problems Solving word problems Solving word problems Dividing 2-digit numbers Dividing with regrouping Solving word problems	Multiplying by 6 Multiplying by 7 Multiplying by 9 Multiplying by 11 Multiplying by 12 Dividing by 6 Dividing by 7 Dividing by 9 Multiplying and dividing by 11 and 12 Dividing with remainder Solving word problems Multiplying by 0 and 1 Dividing by 1 Multiplying the same two numbers Multiplying three numbers Multiplying multiples of 10 Multiplying multiples of 10 Multiplying multiples of 100 Multiplying three-digit numbers Dividing 2-digit numbers Dividing 2-digit numbers Dividing 3-digit numbers Dividing 3-digit numbers Solving word problems	Finding multiples Finding factors Finding common factors Finding prime numbers Finding square and cube numbers Multiplying by 10,100 and 1000 Multiplying 2-digit and 3-digit numbers by a single digit Multiplying 4-digit numbers Multiplying a 2-digit number by a 2-digit number Multiplying a 3-digit number by a 2-digit number Dividing by 10,100 and 1000 Dividing 3-digit and 4-digit numbers Dividing 4-digit numbers Dividing 4-digit numbers Dividing 4-digit numbers Dividing With remainder Solving word problems	Using mixed operations Multiplying by 2-digit numbers. Dividing by 2-digit numbers. Solving word problems Finding common multiples Finding prime numbers
Knowledge	Doubling is adding the same number to itself. Halving is dividing or sharing a number into two	 Multiplication (x) is repeated addition. Division is splitting or sharing into equal parts. 	Inverse operations are opposites that reverse the effect of the other operation.	Inverse operations are opposites that reverse the effect of the other operation.	Factors are whole numbers that divide exactly into another number. The original numbers are factors	A remainder is the whole number left over after a division calculation. Remainders can be











					PRIMARY SCHOOL
equal parts or groups.	An even number is any	Multiplication and division	Multiplication and division	of the product number.	interpreted as fractions or
	number ending in 0, 2, 4,	are inverse operations.	are inverse operations.	Factor pairs are sets of two	rounded to whole numbers
	6 or 8.	A positive number is greater	Multiples are the values in	factors that when multiplied	depending on the context.
	 An odd number is any 	than zero.	that number's times table.	together give a particular	 Multiples are the result after
	number ending in 1, 3, 5,	A negative number is less	For example, the multiples	number.	multiplying a number by an
	7 or 9.	than zero.	of 6 are 6, 12, 18 and so on.	Common factors are factors	integer. They are in the given
	Numbers can be	An integer is a whole	Multiplying by 2 is the same	found in more than one	number's times table.
	multiplied in any order	number that can be scaled	as doubling.	number.	Common multiples are
	and the answer will be the	up using repeated addition	Multiplying by 4 is the same	Prime numbers are whole	multiples of two or more
	same.	or multiplication.	as doubling and doubling	numbers that are greater	numbers.
	Numbers cannot be	Correspondence in maths is	again.	than 1 and can only divide	 Factors are whole numbers
	divided in any order to	how things are related.	Multiplying by 10 and	by themselves and 1.	that divide exactly into
	give the same answer.	There are different types of	halving is the same as	Prime factors are prime	another number.
	Division is the opposite of	relationship: one to one,	multiplying by 5.	numbers that can be	 Common factors are factors
	multiplication.	one to many, many to one	Factors are whole numbers	multiplied together to give	found in more than one
	Multiplication is the	and many to many.	that divide exactly into	the original number.	number.
	opposite of division.		another number. The	Composite numbers are	 Prime numbers are whole
			original numbers are factors	non-prime numbers (whole	numbers that are greater
			of the product number.	numbers that can be made	than 1 and can only divide by
			Factor pairs are sets of two	by multiplying more than	themselves and one.
			factors that when multiplied	one pair of factors).	The acronym BODMAS can
			together give a particular	Primae numbers are whole	be used to remember the
			number.	numbers that are greater	order in which operations
			Partitioning breaks a	than 1 and can only divide	should be calculated:
			number into its place value	themselves and 1, 2, 3, 5, 7,	brackets, orders (powers),
			units.	11, 13, 17, and 19 are prime	division, multiplication,
			The distributive law is that	numbers.	addition and subtraction.
			multiplying a number by a	A square number is a	Estimate means to quickly
			group of numbers added	number multiplied by itself.	find, with some thought of
			together is the same as	A cube number is a number	the calculation, an
			doing each multiplication	multiplied by itself three	approximate value close to
			separately then adding them	times.	the right value.
			together.	A remainder is the whole	
			The associative law is that it	number left over after a	
			doesn't matter how	division calculation.	
			numbers are grouped	The notation for square	
			(calculated) when adding or	numbers is (2) and cube	
			multiplying them.	numbers is (³).	
			An integer is a whole	Equals (=) shows that things	
			number that can be scaled	on both sides of it have or	
			up using repeated addition	should have the same value.	
			or multiplication.		
			 Correspondence in maths is 		

how things are related.













						PRIMARY SCHOOL
				There are different types of relationship: one to one, one to many, many to one and many to many		
			Fractions (including d	ecimals and percentages		
	Year 1	Year 2	Year 3	Year 4	Year 5	Year 6
National Curriculum 2014 Objectives	 recognise, find and name a half as one of two equal parts of an object, shape or quantity recognise, find and name a quarter as one of four equal parts of an object, shape or quantity. 	 recognise, find, name and write fractions 1/3, ¼, 2/4 and ¾ of a length, shape, set of objects or quantity write simple fractions for example, 2 1 of 6 = 3 and recognise the equivalence of 4 2 and 2 1. 	 count up and down in tenths; recognise that tenths arise from dividing an object into 10 equal parts and in dividing one-digit numbers or quantities by 10 recognise, find and write fractions of a discrete set of objects: unit fractions and nonunit fractions with small denominators recognise and use fractions as numbers: unit fractions with small denominators recognise and show, using diagrams, equivalent fractions with small denominators recognise and show, using diagrams, equivalent fractions with small denominators add and subtract fractions with the same denominator within one whole [for example, 5/7 + 1/7 = 6/7 compare and order unit fractions, and fractions with the same denominators solve problems that involve all of the above. 	 recognise and show, using diagrams, families of common equivalent fractions count up and down in hundredths; recognise that hundredths arise when dividing an object by one hundred and dividing tenths by ten. solve problems involving increasingly harder fractions to calculate quantities, and fractions to divide quantities, including nonunit fractions where the answer is a whole number add and subtract fractions with the same denominator recognise and write decimal equivalents of any number of tenths or hundredths recognise and write decimal equivalents to 1/4, 1/5, 3/4 find the effect of dividing a one- or two-digit number by 10 and 100, identifying the value of the digits in the answer as ones, tenths and hundredths round decimals with one decimal place to the nearest whole number compare numbers with the same number of decimal places up to two decimal places 	 compare and order fractions whose denominators are all multiples of the same number identify, name and write equivalent fractions of a given fraction, represented visually, including tenths and hundredths recognise mixed numbers and improper fractions and convert from one form to the other and write mathematical statements > 1 as a mixed number [for example, 2/5 + 4/5 = 6/5 = 1 1/5 add and subtract fractions with the same denominator and denominators that are multiples of the same number multiply proper fractions and mixed numbers by whole numbers, supported by materials and diagrams read and write decimal numbers as fractions (for example, 0.71 = 71/100) recognise and use thousandths and relate them to tenths, hundredths and decimal equivalents round decimals with two decimal places to the nearest whole number and to one decimal place 	 use common factors to simplify fractions; use common multiples to express fractions in the same denomination compare and order fractions, including fractions > 1 add and subtract fractions with different denominators and mixed numbers, using the concept of equivalent fractions multiply simple pairs of proper fractions, writing the answer in its simplest form [for example, 1/4 × 1/2 = 1/8] divide proper fractions by whole numbers [for example, 1/3 ÷ 2 = 1/6] associate a fraction with division and calculate decimal fraction [for example, 3/8] identify the value of each digit in numbers given to three decimal places and multiply and divide numbers by 10, 100 and 1000 giving answers up to three decimal places multiply one-digit numbers with up to two decimal places by whole numbers use written division methods









				solve simple measure and money problems involving fractions and decimals to two decimal places.	read, write, order and compare numbers with up to three decimal places solve problems involving number up to three decimal places recognise the per cent symbol (%) and understand that per cent relates to 'number of parts per hundred', and write percentages as a fraction with denominator 100, and as a decimal solve problems which require knowing percentage and decimal equivalents of ½,¼,1/5,2/5,4/5 and those fractions with a denominator of a multiple of 10 or 25	in cases where the answer has up to two decimal places solve problems which require answers to be rounded to specified degrees of accuracy recall and use equivalences between simple fractions, decimals and percentages, including in different contexts.
Coverage	making halves making quarters sharing and grouping	making equal parts showing half and quarter showing quarters showing thirds naming fractions making equal fractions comparing and ordering fractions counting wholes and parts counting in halves counting in quarters counting in thirds finding part of a set finding part of a quantity	counting in tenths making number pairs adding fractions subtracting fractions finding the simplest fraction finding equivalent fractions comparing fractions adding fractions subtracting fractions finding part of a set finding the fraction of a number sharing one sharing more than 1 solving word problems	counting in hundredths writing mixed numbers showing mixed numbers on a number line finding equivalent fractions simplifying mixed numbers simplifying mixed numbers simplifying improper fractions adding fractions subtracting fractions solving word problems writing tenths writing tenths writing decimals comparing and ordering decimals making number patterns rounding decimals writing fractions as decimals dividing whole numbers by	Dividing to make fractions Writing improper fractions and mixed numbers Finding equivalent fractions Comparing and ordering fractions Making number pairs Adding fractions Subtracting fractions Multiplying fractions by whole numbers Multiplying mixed numbers by whole numbers Multiplying mixed numbers by whole numbers Writing decimals Reading and writing decimals Comparing decimals Writing fractions as decimals Adding and subtracting decimals Rounding decimals Comparing quantity Finding percentages	Simplifying fractions Comparing and ordering fractions Adding and subtracting fractions multiplying fractions dividing a fraction by a whole number writing and reading decimals dividing whole numbers writing fractions as decimals multiplying decimals dividing decimals multiplying a decimal by a 2-digit whole number dividing a decimal by a 2-digit whole number finding the percentage of a number finding percentage change using percentage to compare













Knowledge	 A half is one of two equal parts of a whole object, shape or quantity. A quarter is one of four equal parts of a whole object, shape or quantity. 	 A half is one of two equal parts of a whole object, shape or quantity. A quarter is one of four equal parts of a whole object, shape or quantity. A third is one of three equal parts of a whole object, shape or quantity. Equivalence means of equal (the same) value. Two quarters are equivalent to one half. 	 A tenth is 1 divided by 10. Unit fractions have a numerator of 1. Non-unit fractions have a numerator greater than 1. The numerator of a fraction is the top number and shows how many parts there are. The denominator of a fraction is the bottom number and shows into how many equal parts the item or number is divided. Unit fractions have a numerator of 1. Non-unit fractions have a numerator greater than 1. Equivalence means of equal (the same) value. 	 A tenth is 1 divided by 10. A hundredth is 1 divided by 100. The numerator of a fraction is the top number and shows how many parts there are. The denominator of a fraction is the bottom number and shows into how many equal parts the item or number is divided. A fraction where the numerator is greater than the denominator is an improper fraction and has a value greater than one. A decimal number is a number with a decimal point in it that shows the whole number to the left of the point and tenths, hundredths and thousandths and so on to the right of it. Fractions have decimal equivalents. For two or more digit numbers, if the number to the right of the place value number you are rounding is equal to or greater than 5, round up. If the number to the right of the place value number you are rounding is less than 5, round down. In place value, each place is 10 times the value of the place to its right, including after the decimal point. 	 The numerator of a fraction is the top number and shows how many parts there are. The denominator of a fraction is the bottom number and shows into how many equal parts the item or number is divided. Unit fractions have a numerator of 1. Non-unit fractions have a numerator greater than 1. Equivalence means of equal (the same) value. A tenth is 1 divided by 10. A hundredth is 1 divided by 100. A thousandth is 1 divided by 1000. A proper fraction has a numerator less than the denominator. An improper fraction has a numerator equal to or greater than the denominator. A mixed number is the combination of a whole number and a proper fraction. For two or more digit numbers, if the number to the right of the place value number you are rounding is equal to or greater than 5, round up. If the number to the right of the place value number you are rounding is less than 5, round down. 	 Fractions can be simplified by dividing the numerator and denominator by the same common factor. Multiples are the result after multiplying a number by an integer. Common multiples are multiples of two or more numbers. Multiplying a numerator and denominator by a common multiple can give fractions in the same denomination (same denominator). Equivalent fractions have different numerators and denominators but are equal in value. Addition and subtraction can be carried out once the numerator and denominators have been multiplied or divided to get the same denominator. The answer is then found by adding or subtracting the numerator. To multiply fractions, multiply the numerators together and then multiply the denominators together. Write the answer in its simplest form. To divide fractions by whole numbers, multiply the denominator by the whole number. A fraction is a representation of the division of the numerator by the denominator. Fractions have decimal and percentage







						PRIMARY SCHOOL
					 In place value, each place is 10 times the value of the place to its right, including after the decimal point. % is the symbol for percent and percent is the number of parts per hundred. 	equivalents. They also form part of mixed numbers. In place value, each place is 10 times the value of the place to its right. A simple fraction has a whole number for a numerator and denominator.
			Geometry - Pi	roperties of Shape		
	Year 1	Year 2	Year 3	Year 4	Year 5	Year 6
National Curriculum 2014 Objectives	Recognise and name common 2-D shapes (for example, rectangles (including squares), circles and triangles). Recognise and name common 3-D shapes (for example, cuboids (including cubes), pyramids and spheres).	Identify and describe the properties of 2-D shapes, including the number of sides and line of symmetry in a vertical line. Identify and describe the properties of 3-D shapes, including the number of edges, vertices and faces. Identify 2-D shapes on the surface of 3-D shapes (for example, a circle on a cylinder and a triangle on a pyramid). Compare and sort common 2-D and 3-D shapes and everyday objects.	Draw 2-D shapes and make 3-D shapes using modelling materials; recognise 3-D shapes in different orientations and describe them. Recognise angles as a property of shape or a description of a turn. Identify right angles, recognise that two right angles make a half-turn, three right angles make three quarters of a turn and four complete a turn; identify whether angles are greater than or less than a right angle.	Compare and classify geometric shapes, including quadrilaterals and triangles, based on their properties and sizes. Identify acute and obtuse angles and compare and order angles up to two right angles by size. Identify lines of symmetry in 2-D shapes presented in different orientations. Complete a simple symmetric figure with respect to a specific line of symmetry.	 Identify 3-D shapes, including cubes and other cuboids, from 2-D representations. Know angles are measured in degrees: estimate and compare acute, obtuse and reflex angles. Draw given angles, and measure them in degrees. Identify angles at a point and one whole turn (total 360°) Identify angles at a point on a straight line and ½ a turn (total 180°) Identify other multiples of 90°. Use the properties of rectangles to deduce related facts and find missing lengths and angles. Distinguish between regular and irregular polygons based on reasoning about equal 	 Draw 2-D shapes using given dimensions and angles. Recognise, describe and build simple 3-D shapes, including making nets. Compare and classify geometric shapes based on their properties and sizes and find unknown angles in any triangles, quadrilaterals, and regular polygons. Illustrate and name parts of circles, including radius, diameter, and circumference and know that the diameter is twice the radius. Recognise angles where they meet at a point, are on a straight line, or are vertically opposite, and find missing angles.











	1	T	T	T	***********	1
					sides and angles.	
Coverage	 Recognising solids Recognising shapes Grouping shapes Making patterns 	Identifying sides Identifying vertices Identifying lines of symmetry Making figures Sorting shapes Drawing shapes Making patterns Describing patterns Moving shapes Turning shapes Recognising three dimensional shapes Grouping three dimensional shapes Forming three dimensional shapes Forming three dimensional shapes Making patterns Making patterns	Making angles Making angles Finding angles in shapes Finding right angles Comparing angles Making turns Identifying perpendicular lines Identifying parallel lines Finding vertical and horizontal lines Describing two-dimensional shapes Drawing two-dimensional shapes Making three-dimensional shapes Describing three-dimensional shapes Describing three-dimensional shapes	Knowing types of angles Comparing angles Classifying triangles Classifying quadrilaterals Identifying symmetrical figures Drawing lines of symmetry Completing symmetrical figures Making symmetrical figures Completing symmetrical figures Sorting shapes	Knowing types of angles Measuring angles Investigating angles on a line Investigating angles at a point Drawing angles Drawing lines and angles Describing squares and rectangles Investigating angles in squares and rectangles Solving problems involving angles in rectangles Solving problems involving angles Solving problems involving angles Investigating regular polygons	 Investigating vertically opposite angles Solving problems involving angles Investigating angles in triangles Investigating angles in quadrilaterals Solving problems involving angles in triangles and quadrilaterals Naming parts of a circle Solving problems involving angles in a circle Drawing quadrilaterals Drawing quadrilaterals Drawing triangles Drawing nets of three-dimensional shapes
Knowledge	These are common 2-D shapes: squares, rectangles, circles, triangles, pentagons, hexagons and octagons. Common 3-D shapes include cuboids, cubes, spheres, cones, cylinders and pyramids.	A two-dimensional (2-D) shape only has two measurements. These are common 2-D shapes: squares, rectangles, circles, triangles, pentagons, hexagons and octagons. A shape has symmetry in a vertical line if a line can be drawn down the middle of it and the left side is a mirror image of the right. Squares and rectangles have four sides and a vertical line of symmetry. Circles have one side and a vertical line of symmetry. Triangles have three sides and may have a vertical line of symmetry. A vertex of a 3-D shape is	 A two-dimensional shape only has two measurements. A three-dimensional shape has three measurements and can be held. Common 3-D shapes include cuboids, cubes, spheres, cones, cylinders and pyramids. A vertex of a 3-D shape is a corner where lines meet. The plural of vertex is vertices. An edge of a 3-D shape joins two vertices. The flat surface of a 3-D shape is called a face. An angle is the amount of turn, or space, between two lines around their vertex and is measured in degrees. A right angle is a quarterturn. 	A quadrilateral is a foursided shaped (quad is derived from the Latin word meaning four and lateral is related to sides). A square has four equal sides, four right angles and four lines of symmetry. A rectangle or oblong has two sets of two equal sides, four right angles and four lines of symmetry. A parallelogram has two sets of two equal sides, two sets of two equal sides, four right angles and four lines of symmetry. A parallelogram has two sets of two equal angles and usually no lines of symmetry. A trapezium has at least two parallel sides and can have pairs of equal angles and a line of symmetry. A triangle is a three-sided shape (tri is derived from	 An angle is the amount of turn, or space, between two lines around their vertex and is measured in degrees. An acute angle is less than a right angle (90°). An obtuse angle is greater than a right angle (90°) but less than a straight angle (180°). A reflex angle is greater than a straight angle (180°) but less than 360° (a complete rotation). A polygon (a 2-D shape formed with straight lines) is regular when all sides and angles are equal. A polygon is irregular if it has different length sides and/or angles. 	 The conventional marking for parallel lines are > in the centre of the pair of two parallel lines. >> is used for a second pair of parallel lines within a shape. Arcs are used to represent angles and a square is used to represent a right angle (90°). Some 3-D shapes, like cubes and pyramids, can be opened or unfolded along their edges to create a flat shape. The unfolded shape is called the net of the solid. A quadrilateral is a four sided shape (quad is derived from a Latin word meaning four and lateral is related to sides). A square has four equal sides, four right angles and four lines of symmetry.





r where lines	 Two right angles r
	half-turn.

- ape
- 3-D
- (3-D) can be
- es, ders
- 3-D
- l can uares.
- are
- rcle,

- nake a
- Three right angles make three-quarters of a turn.
- Four right angles make a complete turn.
- Horizontal lines go across.
- Vertical lines go up and down.
- Perpendicular lines are lines that form a right angle where they meet or cross.
- Parallel lines never meet or cross. They are always the same distance apart.

- Latin and Greek meaning three).
- An equilateral triangle has three equal sides and angles and three lines of symmetry.
- An isosceles triangle has two equal sides and angles.
- A scalene triangle has no equal sides and no equal
- A right-angled triangle has a 90°.
- The angles in any triangle add up to 180°.
- An acute angle is less than a right angle (90°).
- An obtuse angle is greater than a right angle (90°) but less than a straight angle (180°).
- A shape or object is symmetrical if you can draw a straight line vertically, horizontally or diagonally down the middle of it and the two sides are a mirror image of each other.
- The straight, often imaginary, lines are called lines or axes of symmetry.

- A parallelogram has two sets of two equal sides, two sets of two equal angles and usually no lines of symmetry.
- A rhombus has four equal sides, two sets of two equal angles and two lines of symmetry.
- A trapezium has at least two parallel sides and can have pairs of equal angles and a line of symmetry.
- A triangle is a three sided shape (tri is derived from Latin and Greek meaning three).
- An equilateral triangle has three equal sides and angles and three lines of symmetry.
- An isosceles triangle has two equal sides and angles.
- A scalene triangle has no equal sides and no equal angles.
- A right-angled triangle has a 90° angle.
- The angles in any triangle add up to 180°.
- A circle is a 2-D shape.
- A circle's perimeter is called circumference.
- Diameter of a circle is the straight line segment that passes through the centre.
- Radius is a straight line from the centre to the circumference of a circle and is half the diameter.
- Angle is the amount of turn, or space between two lines around the vertex and is measured in degrees (°).
- An acute angle is less than a right angle.













			Geometry – Po	sition and Direction		 An obtuse angle is greater than a right angle but less than a straight angle (180°). A reflex angle is greater than a straight line angle but less than 360° (a complete rotation). Vertically opposite angles are the angles opposite each other when two lines cross and are always equal. The angles in a quadrilateral or polygon add up to 360°.
	Year 1	Year 2	Year 3	Year 4	Year 5	Year 6
National Curriculum 2014 Objectives	Describe position, direction and movement, including whole, half, quarter and three-quarter turns.	Order and arrange combinations of mathematical objects in patterns and sequences. Use mathematical vocabulary to describe position, direction and movement, including movement in a straight line and distinguishing between rotation as a turn and in terms of right angles for quarter, half and three-quarter turns (clockwise and anticlockwise).	 draw 2-D shapes and make 3-D shapes using modelling materials; recognise 3-D shapes in different orientations and describe them recognise angles as a property of shape or a description of a turn identify right angles, recognise that 2 right angles make a half-turn, 3 make three-quarters of a turn and 4 a complete turn; identify whether angles are greater than or less than a right angle identify horizontal and vertical lines and pairs of perpendicular and 	 Describe positions on a 2-D grid as coordinates in the first quadrant. Describe movements between positions as translations of a given unit to the left/right and up/down. Plot specified points and draw sides to complete a given polygon. 	Identify, describe and represent the position of a shape following a reflection or translation, using the appropriate language, and know that the shape has not changed.	Describe positions on the full coordinate grid (all four quadrants). Draw and translate simple shapes on the coordinate plane, and reflect them in the axes.













			parallel lines			
			paramerimes			
Coverage	Naming positions Naming positions in queues Naming left and right positions Describing positions Describing movements Making turns	Identifying sides Identifying vertices Identifying lines of symmetry Making figures Sorting shapes Drawing shapes Making patterns Describing patterns Moving shapes Turning shapes Recognising three dimensional shapes Describing three dimensional shapes Grouping three dimensional shapes Forming three dimensional shapes Grouping three dimensional shapes Forming three dimensional shapes Making patterns		Describing position Plotting points Describing movements	Naming and plotting points Describing translations Describing movements Successive reflections	Showing negative numbers Describing position Drawing polygons on a coordinate grid Describing translations Describing reflections Describing movements Using algebra to describe movements
Knowledge	Position, direction and movement can be described using these words: top, middle, botton, on top of, infront of, above, between, around, near, clode, far, up, down, turn, forwards, backwards, inside, outside, left and right.	Position, directly and movement, including rotation, can be described using these words: top, middle, bottom, on top of, in front of, above, between, around, near, close, far, up, down, turn, forwards, backwards, inside, outside, left and right. A half is one of two equal parts of a whole object, shape, quantity or movement. A quarter is one of four equal parts of a whole object, shape, quantity or movement.	symmetrical and non-symmetrical polygons and polyhedra. = describe the properties of 2-D and 3-D shapes using accurate language, including lengths of lines and acute and obtuse for angles greater or lesser than a right angle Pupils connect decimals and rounding to drawing and measuring straight lines in centimetres, in a variety of contexts.	 Coordinates are numbers or letters that determine the position of a point or shape in a grid, graph or map. The x-axis is horizontal from or through zero and the y-axis is vertical from or through zero. When reading coordinates or using them to determine a point, x is read before y. A translation moves a shape up, down or from side to side, without reflecting it or changing its shape. A polygon is any 2-D shape formed with straight lines. 	A translation moves a shape up, down or from side to side, without reflecting it or changing its shape. A reflection is the image of a shape if it was looked at in a mirror. Shapes that have been translated or reflected are the same size as the original shape.	Coordinates are numbers or letters that determine the position of a point or shape in a grid, graph or map. The x-axis is horizontal from or through zero and the y-axis is vertical from or through zero. When reading coordinates or using them to determine a point, x is read before y. A full coordinate grid has four quadrants (first, second, third and fourth). The first quadrant is the top right, second is top left, third is bottom left and fourth is bottom right.













						PRIMART SCHOOL
		Clockwise is the movement in the direction of the rotation of the hands of a clock. The opposite direction is anti-clockwise.				
			Meas	surement		
	Year 1	Year 2	Year 3	Year 4	Year 5	Year 6
National Curriculum 2014 Objectives	Compare, describe and solve practical problems for: lengths and heights (for example, long/short, longer/shorter, tall/short, double/half); mass/weight (for example, heavy/light, heavier than, lighter than); capacity and volume (for example: full/empty, more than, less than, half, half full, quarter); time (for example, quicker, slower, earlier, later). Measure and begin to record the following: lengths and heights; mass/weight; capacity and volume; time (hours, minutes, seconds). Recognise and know the value of different denominations of coins and notes. Sequence events in	Choose and use appropriate standard units to estimate and measure length/height in any direction (m/cm; mass (kg/g); temperature (°C); capacity (litres/ml) to the nearest appropriate unit, using rulers, scales, thermometers and measuring vessels. Compare and order lengths, mass, volume/capacity and record the results using <, > and =. Recognize and use symbols for pounds (£) and pence (p); combine amounts to make a particular value. Find different combinations of coins that equal the same amounts of money. Solve simple problems in a	 Measure, compare, add, and subtract: lengths (m/cm/mm); mass (kg/g); volume/ capacity (I/ml). Measure the [perimeter of simple 2-D shapes. Add and subtract amounts of money to give change, using both £ and p in practical contexts. Tell and write the time from an analogue clock, including using Roman numerals from I to XII, and 12-hour and 24-hour clocks. Estimate and read time with an increasing accuracy to the nearest minute; record and compare time in terms of seconds, minute and hours; use vocabulary such as o'clock, a.m./p.m., morning, afternoon, noon and midnight. Know the number of seconds in a minute and the 	Convert between different units of measure (for example, kilometre to metre; hour to minute). Measure and calculate the perimeter of a rectilinear figure (including squares) in centimetres and metres. Find the area of rectilinear shapes by counting squares. Estimate, compare and calculate different measures, including money in pounds and pence. Read, write and convert time between analogue and digital 12- and 24-hour clocks. Solve problems involving converting from hours to minutes; minutes to seconds; years to months; weeks to days.	Convert between different units of metric measure (for example, kilometre and metre; centimetre and millimetre; gram and kilogram; litre and millimetre). Understand and use approximate equivalences between metric units and common imperial units such as inches, pounds and pints. Measure and calculate the perimeter of composite rectilinear shapes in centimetres and metres. Calculate and compare the area of rectangles (including squares), and including using standard units, square centimetres (cm2) and square metres (m2) and estimate the area of irregular shapes. Estimate volume (for	Solve problems involving the calculation and conversion of units of measure, using decimal notation up to three decimal places where appropriate. Use, read, write and convert between standard units, converting measurements of length, mass, volume and time from a smaller unit of measure to a larger unit, and vice versa, using decimal notation to up to three decimal places. Convert between miles and kilometres. Recognise that shapes with the same areas can have different perimeters and vice versa. Recognise when it is possible to use formulae for area and volume of shapes. Calculate the area of parallelograms and triangles.









						PRIMARY SCHOOL
	chronological order using language (for example, before and after, next, first, today, yesterday, tomorrow, morning, afternoon and evening). Recognise and use language relating to dates, including days of the week, weeks, months and years. Tell the time to the hour and half past the hour and draw the hands on a clock face to show these times.	practical context involving addition and subtraction of money of the same unit, including giving change. Compare and sequence intervals of time. Tell and write the time to five minutes, including quarter past/to the hour and draw the hands on a clock face to show these times. Know the number of minutes in an hour and the number of hours in a	number of days in each month, year and leap year. Compare durations of events (for example to calculate the time taken by particular events or tasks).		example, using 1 cm3 blocks to build cuboids (including cubes)) and capacity (for example, using water). • Solve problems involving converting between units of time. • Use all four operations to solve problems involving measure (for example, length, mass, volume, money) using decimal notation, including scaling.	Calculate, estimate and compare volume of cubes and cuboids using standard units, including cubic centimetres (cm3) and cubic metres (m3), and extending to other units (for example, mm3 and km3).
Coverage	Comparing height and length Measuring length using things Measuring height and length using body parts Measuring height and length using a ruler Telling time to the hour Telling time to the half hour Using next, before and after Estimating duration of time Comparing time Using a calendar Recognising coins Recognising notes Comparing volume and capacity Finding volume and capacity Describing volume using half and a quarter Comparing mass Finding mass	 day. Measuring length in meters Measuring length in centimetres Comparing length in meters Comparing length in centimetres Comparing the length of lines Solving word problems Measuring mass in kilograms Measuring mass in grams Comparing the mass of two objects Comparing the mass of three objects Solving word problems Solving word problems solving more word problems reading temperature estimating temperature writing amounts of money counting money showing equal amounts of money exchanging money 	writing length in metres and centimetres writing length in centimetres writing length in metres writing length in kilometres and metres comparing length solving word problems reading weighing scales solving word problems measuring volume in millilitres measuring volume in millilitres and litres measuring capacity in millilitres and litres writing volume in litres and millilitres writing volume in litres and millilitres writing volume in litres and millilitres writing capacity in litres and millilitres solving word problems naming amounts of money adding money subtracting money calculating change solving word problems telling the time	Telling time on a 24-hour clock Changing time in minutes to seconds Changing time in hours to minutes Solving problems on duration of time Changing years to months and weeks to days Solving word problems Writing amounts of money Comparing amounts of money Rounding amounts of money Solving problems involving money Solving problems involving money Solving problems involving money Converting units of mass Measuring mass Converting units of volume Measuring length Converting units of length Measuring perimeters in	Solving word problems Solving word problems Converting units of length Converting units of mass Converting units of time Telling the temperature Finding the perimeter Using scale diagrams to find the perimeter Measuring the area Understanding the volume of solids Finding the capacity of rectangular boxes Finding the capacity of rectangular boxes Converting units of volume Solving word problems involving volume	Textbook 6A – Chapter 5 – Measurements Converting units of length Converting units of wolume Converting units of time Solving word problems Finding the area and perimeter of rectangles Finding the area of parallelograms Finding the area of triangles Finding the area of triangles Finding the volume of cubes and cuboids Solving problems involving the volume of solids





		comparing amounts of money calculating total amount calculating change solving word problems #telling and writing time to 5 minutes telling and writing time sequencing events drawing clock hands finding durations of time finding ending times comparing times comparing time comparing volume measuring volume in litres measuring volume in millilitres solving word problems	measuring and comparing time in seconds measuring time in seconds measuring time in hours measuring time in minutes changing minutes to seconds changing seconds to minutes finding number of days Textbook 3B – Chapter 14 – Perimeter of figures Measuring total length around a shape Measuring perimeter Calculating perimeter	different units Solving problems involving scale reading Measuring the surface that an object covers Measuring area		
Miowicasc	 Length is a measure of how long something is from end to end. Height is a measure of how high something is from head to foot or top to base. Mass or weight is the measure of the amount of something and how heavy it is. Capacity is how much a container can hold. Volume is the space that water takes up in a container. Time can be described using these words: quicker, slower, earlier and later. Length is a measure of how long something is from end to end. Height is a measure of how high something is 	Estimate means to have a sensible guess. Estimating is calculating the approximate amount, size or value of something. A scale is a set of numbers on measuring equipment that is used to show the value or size of something. Length, width and height can be measured in metres or centimetres. There are 100cm in 1m. Mass can be measured in kilograms or grams. There are 1000g in 1kg. Temperatures can be measured in degrees Celsius. O°C is the freezing point of water and 100°C is the boiling point of water. Capacity can be measured in litres or millilitres. There are 1000ml in 1L.	 Length, width and height can be measured in metres and centimetres. There are 100cm in 1m. Mass can be measured in kilograms or grams. There are 1000g in 1kg. Temperatures can be measured in Celsius. 0°C is the freezing point of water and 100°C is the boiling point of water. Capacity can be measured in litres and millilitres. There are 1000ml in 1l. The perimeter is the total distance around the edge of a shape. Money can be measured in pounds and pence. There are 100p in £1. In Roman numerals I=1, II=2, III=3, IV=4, V=5, VI=6, VII=7, VIII=8, IX=9, X=10, XI=11 and XII=12. 	 There are 100cm in 1m. There are 1000m in 1km. There are 1000g in 1kg. There are 1000ml in 1l. Kilo is derived from a Greek word meaning thousand. Perimeter is the total distance around the edge of a shape. Area is the amount of space inside the boundary of a 2-D object or face of a 3-D object. There are 60 minutes in an hour and 60 seconds in a minute. There are 7 days in a week, between 28 and 31 days in a month, 365 days in a year and 366 in a leap year, which occurs every fourth year. 	 There are 10mm in 1cm, 100cm in 1m and 1000m in 1km. There are 1000g in 1kg. There are 1000ml in 1l. Kilo is derived from a Greek word meaning thousand. Imperial units of measurement were used in Britain from the 1820's to the 1960's when the metric system, using multiples of 10, was adopted. 1 inch = 2.5 cm. 1 foot = 12 inches = 30cm (approximately). 1 yard = 3 feet = 914cm (approximately 1m). 1 mile = 1760 yards = 1.6km. 1 ounce = 28g. 1 pound = 16 ounces = 453g (approximately ½ kg). 1 stone = 14 pounds = 6.4kg. 1 pint = 568ml 	 There are 10mm in 1cm, 100cm in 1m and 1000m in 1km. There are 1000g in 1kg. There are 1000ml in 1l. Kilo is derived from a Greek work meaning thousand. There are 60 minutes in an hour and 60 seconds in a minute. There are 7 days in a week, between 28 and 31 days in a month, 365 days in a year and 366 in a leap year, which occurs every fourth year. 1 mile = 1760 yards = 1.6km. A = H x W is the formula for calculating the area of a rectangle, where A = area, H = height and W = width. V = L x W x H is the formula for calculating the volume of a cuboid, where V = volume, L = length, W = width and H = height.





- from head to foot or top to base.
- Mass or weight is the measure of the amount of something and how heavy it is.
- Capacity is how much a container can hold.
- Volume is the space that water takes up in a container.
- Time can be measured using hours, minutes and seconds.
- Events can be sequenced using these words: before, after, now, next, first, today, yesterday, tomorrow, morning, afternoon, evening, earlier and later.
- The past refers to events that have already happened.
- The present refers to events that are happening now.
- The future refers to events that haven't happened yet.
- There are seven days in a week: Monday, Tuesday, Wednesday, Thursday, Friday, Saturday and Sunday.
- There are twelve months in a year: January, February, March, April, May, June, July, August, September, October, November and December.
- There are four seasons in a year: Spring, Summer, Autumn and Winter.

- Length is a measure of how long something is from end to end.
- Height is a measure of how high something is from head to foot or top to base.
- Mass or weight is the measure of the amount of something and how heavy it is.
- Capacity is how much a container can hold.
- Volume is the measure of the space something takes up.
- Equals shows that things on both sides of it have or should have the same value.
- Less than shows that the value to the left of it is lower than the value to the right of it.
- Greater than shows that the value to the left of it is higher than the value to the right of it.
- Money can be measured in pounds and pence.
- There are 100p in £1.
- Change is the money returned to someone when they have paid for an item with an amount that is greater than the price.
- An analogue clock face can be divided into 60 minutes. It often shows 5 minute intervals using the numbers from 1 to 12 on the face.
- The hour hand is the

- O'clock is used after a number from 1 to 12 to give the time when it is exactly that hour.
- A time is in the morning if it is followed by 'am' and in the afternoon if it is followed by 'pm'.
- Noon is 12pm and midnight is 12am.
- There are 60 seconds in a minute, 60 minutes in an hour and 24 hours in a day.
- There are 365 days in a year and 366 in a leap year which occurs every fourth year.
- The months of the year are January (31 days), February (28 or 29 days), March (31 days), April (30 days), May (31 days), June (30 days), July (31 days), August (31 days), September (30 days), October (31 days), November (30 days) and December (31 days).
- Duration is the length of time something lasts.

- (approximately ½ l).
- 1 gallon = 8 pints = 4.5l.
- Perimeter is the total distance around the edge of a shape.
- A composite shape is made of two or more rectilinear figures (polygons with interior angles of 90° or 270°, including squares).
- The area of a rectangle (including squares) is calculated by multiplying its height by its width.
- Standard units of area are square centimetres or centimetres squared (cm²) and square metres or metres squared (m²).
- Capacity is a measure of how much something can hold.
- Volume is the measure of the space that an object or liquid takes up.
- There are 60 minutes in an hour and 60 seconds in a minute.
- There are 7 days in a week, between 28 and 31 days in a month, 365 days in a year and 366 in a leap year, which occurs every fourth year.

- The area of a triangle is found by multiplying its height by the width and then dividing by 2.
- The area of a parallelogram is found by multiplying the base by the height.
- Volume of cubes and cuboids are calculated by multiplying the length, width and height.
- Standard units of volume are cubic centimetres or centimetres cubed and cubic metres or metres cubed.





						PRIMARY SCHOOL
	The hour hand is the shorter hand on a clock and the minute hand is the longer hand. On an analogue clock, the minute hand points to 12 when it is an o'clock time and points to 6 when it is half past the hour.	shorter hand on a clock and the minute hand is the longer hand on a clock. Clockwise is the movement round a clock from left to right and hands move in a clockwise direction. On an analogue clock, the minute hand points to 12 when it is an o'clock time and points to 6 when it is half past the hour. The minute hand points towards the 3 at quarter past and 9 at quarter to the hour. There are 60 seconds in a minute, 60 minutes in an hour and 24 hours in a day.				
			Sta	atistics		
	Year 1	Year 2	Year 3	Year 4	Year 5	Year 6
National Curriculum 2014 Objectives		Interpret and construct simple pictograms, tally charts, block diagrams and simple tables. Ask and answer simple questions by counting the number of objects in each category and sorting the categories by quantity.	Interpret and present data using bar charts, pictograms and tables. Solve one-step and two-step questions (for example, 'How many more?' and 'How many fewer?' using information presented in scaled bar charts and pictograms and tables.	 Interpret and present discrete and continuous data using appropriate graphical methods, including bar charts and time graphs. Solve comparison, sum and difference problems using information presented in bar charts, pictograms, tables and other graphs. 	Solve comparison, sum and difference problems using information presented in a line graph. Complete, read and interpret information in tables, including timetables.	Interpret and construct pie charts and line graphs and use these to solve problems. Calculate and interpret the mean as an average.
Coverage		Reading picture graphs	Drawing picture graphsDrawing bar graphsReading bar graphs	 Drawing and reading picture graphs and bar graphs Drawing and reading bar graphs 	Reading tables Reading line graphs	Understanding averages Calculating the mean Solving problems involving the mean





Vocada da	•	Data is facts and figures.	Data is facts and figures.	Discrete data can only be	Solve one step problems	Showing information on graphs Reading pie charts Reading line graphs Converting miles into kilometres Reading line graphs Mean is a type of average, it
Knowledge		 A table in maths is a way to set out data so it is easy to record and see. Tally marks are a quick way of keeping track of numbers in groups of five. A pictogram uses pictures to represent data. 	 A table in maths is a way to set out data so it is easy to record and see. Tally marks are a quick way of keeping track of numbers in groups of five. A pictogram uses pictures to represent data. A bar chart represents data using bars / lines. 	shown in integers, for example, the number of children in a class. Continuous data can take any value, including decimals.	using ifferent types of graphss	is the total of the numbers divided by how many numbers there are.
			Ratio and	d Proportion		
	Year 1	Year 2	Year 3	Year 4	Year 5	Year 6
National Curriculum 2014 Objectives						Solve problems involving the relative sizes of two quantities where missing values can be found by using integer multiplication and division facts. Solve problems involving the calculation of percentages (for example, of measures, and such as 15% of 360) and the use of percentages for comparison. Solve problems involving similar shapes where the scale factor is known or can be found. Solve problems involving unequal sharing and grouping using knowledge of fractions and multiples.



Fairfi	elds
PRIMARY	S C H O O L

Coverage						Comparing quantities Comparing numbers Solving word problems
Knowledge	•	•	•	•	•	Ratio compares quantities at different scales.
	Algebra					
	Year 1	Year 2	Year 3	Year 4	Year 5	Year 6
National Curriculum 2014 Objectives						Use simple formulae Generate and describe linear number sequences. Express missing number problems algebraically. Find pairs of numbers that satisfy an equation with two unknowns. Enumerate possibilities of combinations of two variables.
Coverage						 Describing a pattern Writing algebraic expressions Writing and evaluating algebraic expressions Writing formulae Using formulae Solving equations
Knowledge						Numbers can be represented using letters Patterns can be described using letters and numbers Formula are number sentences